

THUNBERGIA

40



Roland Moberg

Lichenes Selecti Exsiccati Upsalienses

Fasc. 19 & 20 (Nos 451–500)

DISTRIBUTED BY THE BOTANY SECTION, MUSEUM OF EVOLUTION
UPPSALA UNIVERSITY
2018

THUNBERGIA is the continuation of "Publications from the Herbarium, University of Uppsala", 19 numbers of which were issued between 1978 and 1986. The name is given in memory of Carl Peter Thunberg (1743–1828), a disciple of Linnaeus and a famous traveller to South Africa and Japan. His collections, about 27500 sheets, were transferred to Uppsala University in 1785, and became the foundation of the Botanical Museum. Thunberg succeeded Linnaeus filius as professor in 1785 and held the professorship to his death.

Thunbergia is issued irregularly. Each issue is available at
www.evolutionsmuseet.uu.se/publikation/thunbergiaeng.html.

Editor: Roland Moberg

Museum of Evolution
Uppsala University
Norbyvägen 16
SE-752 36 Uppsala, Sweden
E-mail: roland.moberg@em.uu.se

THUNBERGIA 40

Lichenes selecti exsiccati Upsalienses

Fasc. 19 & 20

(Nos 451–500)

Roland Moberg

UPPSALA 2018

Distributor: Botany Section, Museum of Evolution, Uppsala University

Lichenes Selecti Exsiccati Upsalienses. Fasc. 19–20

Roland Moberg

Moberg, R. 2018. Lichenes selecti exsiccati Upsalienses. Fasc. 19 & 20 (Nos 451–500). – *Thunbergia* 39: 1–18. ISSN-0283-2275.

Fascicles 19 & 20 contain isotype material of *Hertella subantarctica* Henssen, *Phylliscum tenue* Henssen and *Santessonella rosettiformis* Henssen. These types belong to a rest set of material meant to be issued in A. Henssen: *Lichenes Cyanophili et Fungi Saxicolae Exsiccati*. Further eight numbers belongs to the same set.

The fascicles also contain thirteen numbers sent by Dr. Tom Nash mainly from USA and Mexico which is herewith acknowledged.

The collections in these fascicles represent material from Antarctica (1), North America (18), South America (7), Australia & New Zealand (6) and Europe (18).

*Roland Moberg, Museum of Evolution, Uppsala University,
Norbyvägen 16, S-752 36, Uppsala, Sweden.*

Email: roland.moberg@em.uu.se

LICHENES SELECTI EXSICCATI UPSALIENSES

451. *Absconditella delutula* (Nyl.) Coppins & H.Kilias

in Hawksworth, D.L., James, P.W. & Coppins, B.J., *Lichenologist* 12: 106 (1980). – *Lecidea delutula* Nyl., *Flora* 62: 223 (1879).

Sweden. Hälsingland prov., Bjuråker par., 4 km NNE of Brännås village, N of where the road ends. 62°4.851'N 16°15.925'E. Alt. 280 m. Coniferous forest stand, 7–14 years old. On *Pinus sylvestris* log, 18 m long and 16–38 cm in diameter.

25 September 2013

leg. & det. G. Thor (n.30118)

LICHENES SELECTI EXSICCATI UPSALIENSES

452. Ainoa mooreana (Carroll) Lumbsch & I.Schmitt

Mycol. Res. 105: 273 (2001). – *Lecidea mooreana* Carroll, Natural History Review and Quarterly Journal of Science 6: 529 (1859).

Sweden. Jämtland prov., Åre par., W side of Sätteråsen, along track between Björnen and Mt Lillskutan. $63^{\circ}40'24.2''N$ $13^{\circ}13'39.7''E$. Alt. 654 m. On low schistose rock at trackside.

2 September 2014

leg. & det. A. Nordin (n. 7725)

LICHENES SELECTI EXSICCATI UPSALIENSES

453. Alectoria mexicana Brodo & D.Hawksw.

Opera Bot. 42: 62 (1977).

Mexico. Oaxaca state, above Ixtlán de Juárez, preserved pine-oak forest. $17^{\circ}23.217''N$ $96^{\circ}28.109''W$. Alt. 2867 m. On *Pinus*.

3 February 2008

leg. T. H. Nash III (n. 45654)
dupl. det. T.L. Esslinger

LICHENES SELECTI EXSICCATI UPSALIENSES

454. Amygdalaria consentiens (Nyl.) Hertel, Brodo & Mas.Inoue

in Inoue, J. Hattori Bot. Lab. 56: 322. – *Lecidea consentiens* Nyl., Flora 49: 371 (1866).

Sweden. Jämtland prov., Åre par., E slope of Mt Lillfjället, c. 2 km E of Åre village. $63.4101^{\circ}N$ $13.12284^{\circ}E$. Alt. 740 m. On loose pieces of rock in seepage track.

2 September 2014

leg. & det. A. Nordin (n. 7739)

LICHENES SELECTI EXSICCATI UPSALIENSES

455. Aspicilia verrucigera Hue

Nouv. Arch. Mus. Hist. Nat. Paris, sér. 5, 2: 48 (1910).

Sweden. Småland prov., Misterhult par., Jungfrun, hällmarkstallskogen ovanför Lervik (pine forest above Lervik). $57^{\circ}15'05''N$ $16^{\circ}47'34''E$. Vertikalyta mot S, *Lecidea luteoatra*-sociation.

26 July 1920

leg. & det. G. Einar Du Rietz
conf. A. Nordin 2010

LICHENES SELECTI EXSICCATI UPSALIENSES

456. Austroparmeliella elongata (Henssen) P.M.Jørg.

in Ekman, Wedin, Lindblom & Jørgensen, Lichenologist 46(5):649 (2014). – *Santessonella elongata* Henssen, Symb. Bot. Ups. 32(1): 83 (1997).

Argentinien. Neuquén prov., Arroyo de Escorial. $39^{\circ}49'S$ $71^{\circ}3'W$. Lavafeld, auf *Nothofagus dombeyi* am Bachufer, schattiger Baumbestand.

28 Desember 1973

leg. A. Henssen (24590d) & G. Vobis
det. A. Henssen

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

457. Caloplaca diphyodes (Nyl.) H.Olivier

Mém. Soc. Sci. Nat. Cherbourg 37: 139 (1909). – *Lecidea diphyodes* Nyl., Flora 46: 305 (1863).

Sweden. Lycksele Lappmark, Tärna par., Lake Över-Uman, Garaknäset, schistose lakeshore rocks on W side of the outer part of the cape. $66^{\circ}02'N$ $14^{\circ}54'E$. Alt. 520 m. On sloping (40°) shistose rock facing W in the upper geolitoral zone.

30 August 1963

leg. G. Einar Du Rietz (n. 673i)
det. A. Nordin 2003

LICHENES SELECTI EXSICCATI UPSALIENSES

458. *Cladonia fuliginosa* R.Filson

Vict. Nat. 87: 325 (1970).

New Zealand. West Coast, South Island, Western Bot. Distr., Hill's Peak. 43°12'S
171°29,5'E. Subalpine belt.

12 January 1927 leg. G. Einar Du Rietz & Greta Du Rietz (n. 1514:21)
det. T. Ahti 2015

LICHENES SELECTI EXSICCATI UPSALIENSES

459. *Dactylina arctica* subsp. *beringica* (C.D.Bird & J.W.Thomson) Kärnefelt & A.Thell

Nova Hedwigia 62: 503 (1996). – *Dactylina beringica* C.D.Bird & J.W.Thomson, Canad. J. Bot. 56: 1612 (1978).

USA. Alaska. Denali Hwy, mile 125. 63°10'N 147°33'W. On the ground.

16 August 1959 leg. & det. R. O. Skoog

LICHENES SELECTI EXSICCATI UPSALIENSES

460. *Fellhanera tricharioides* Lücking & R.Sant.

in Lücking, Follicolous lichenized fungi, Flora Neotropica Monograph 103: 331 (2008).

Trinidad and Tobago. Port of Spain. Maraval Valley. 10°41'N 61°31'W.

1913 leg. R. Thaxter (n. 42)
det. R. Santesson & R. Lücking 2008

LICHENES SELECTI EXSICCATI UPSALIENSES

461. Flavopunctelia praesignis (Nyl.) Hale

Mycotaxon 20: 682 (1984). – *Parmelia praesignis* Nyl., Bull. Soc. Linn. Normandie, ser. 2, 6: 270 (1873).

Mexico. Guanajuato state, Cerro El Picacho, 8 km SSE of San Miguel de Allende. 20°50'05"N 100°42'25"W. 2600 m. On *Quercus*.

14 May 2007

leg. & det. T. H. Nash III (n. 44974)

LICHENES SELECTI EXSICCATI UPSALIENSES

462. Hertella subantarctica Henssen

Isotype

Mycotaxon 22: 389 (1985).

Prince Edward Islands. Marion Island. Coastal Plain along van den Boogaard River near Rockhopper Bay. 46°52'S, 37°51'E. On vertical or inclined plates of grey lava just above water level.

3 May 1982

leg. & det. A. Henssen (28114a)

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.
Holotype in MB.

LICHENES SELECTI EXSICCATI UPSALIENSES

463. Heterodermia badia Moberg

Nord. J. Bot. 29: 133 (2011).

Australia. Western Australia. The Knoll (a peninsula just S of Walpole). 34°59'S 116°43'E. Alt. 1–3 m. Seashore rocks facing S. On a mossy boulder facing S.

23 February 1992

leg. R. Moberg & B. Owe-Larsson (n. A19:1)
det. R. Moberg 2017

Note. New to Australia.

LICHENES SELECTI EXSICCATI UPSALIENSES

464. *Heterodermia dissecta* (Kurok.) D.D.Awasthi

Geophytology 3: 113 (1973). – *Anaptychia dissecta* Kurok., Beih. Nova Hedwigia 6: 55 (1962).

Australia. New South Wales. 12 km NW of Kiama. 34°36'S 150°43'E. Alt. c. 200 m. On boulder in a stream surrounded by temperate forest.

16 March 1992 leg. R. Moberg & B. Owe-Larsson (n. A74:7)
 det. R. Moberg 2017

LICHENES SELECTI EXSICCATI UPSALIENSES

465. *Heterodermia obscurata* (Nyl.) Trevisan

Nuovo Giorn. Bot. Ital. 1: 114 (1869). – *Physcia obscurata* Nyl., Annls Sci. Nat. Bot., ser. 4, 19: 310 (1863).

New Zealand. Northland, North Island, North Auckland Bot. Distr., rocky shore just outside Russel. 35°15'49"S 174°07'18"E. Rocky shore, lower aerohalophyte belt.

29 April 1927 leg. G. Einar Du Rietz & Greta Du Rietz (2710:20)
 det. R. Moberg 2017

LICHENES SELECTI EXSICCATI UPSALIENSES

466. *Heterodermia pseudospeciosa* (Kurok.) W.L.Culb.

Bryologist 69: 484 ("1966" 1967). – *Anaptychia pseudospeciosa* Kurok., J. Jap. Bot. 34: 176 (1959).

Australia. New South Wales, Macquarie Pass Nat. Park, 19 km NW of Kiama. 34°34'S 150°41'E. Alt. c. 80 m. Small stream surrounded by remnant temperate forest. On boulder at the brook.

16 March 1992 leg. R. Moberg & B. Owe-Larsson (n. A73:16)
 det. R. Moberg

LICHENES SELECTI EXSICCATI UPSALIENSES

467. *Hypogymnia hultenii* (Degel.) Krog

Nytt Mag. Naturvid. 88: 76 (1951). – *Cavernularia hultenii*, Medd. Göteborgs Bot. Trädg. 12: 130 (1937).

Sweden. Jämtland prov., Åre par., mellan Enafors och Klocka, NO om punkt 561, vid stigen c. 1 km Ö om järnvägen. $63^{\circ}17'N$ $12^{\circ}26'E$. Alt. c. 550 m. På grankvistar i granskog.

25 August 1937

leg. & det. G. Einar Du Rietz

LICHENES SELECTI EXSICCATI UPSALIENSES

468. *Icmadophila ericetorum* (L.) Zahlbr.

Wiss. Mittheil. Bosnien Hercegov. 3: 605 (1895). – *Lichen ericetorum* L., Sp. Pl. 2: 1141 (1753).

USA. Alaska, Tongass National Forest, Mitkof Island (S of Petersburg), along Shmer Creek. $56^{\circ}35'N$, $132^{\circ}45'W$. Alt. c. 10 m. *Picea sitchensis* riparian area, on rotten stumps in temperate rainforest.

2 June 2009

leg & det. R. E. Perez-Perez & K. Dillman (s.n.)

LICHENES SELECTI EXSICCATI UPSALIENSES

469. *Lecania aipospila* (Wahlenb.) Th.Fr.

K. Svenska Vetensk.-Akad. Handl. 7(2): 20 1867. – *Parmelia aipospila* Wahlenb in Ach., Meodus, Suppl. 36 (1803).

Sweden. Bohuslän prov., Skaftö par., Bonden. $58^{\circ}12'30''N$ $11^{\circ}18'50''E$. “Nedersta aerohalinen, hällar på norra Hamnknuven”. On flat rock.

12 August 1917

leg. & det. G. Einar Du Rietz (n. 502)

LICHENES SELECTI EXSICCATI UPSALIENSES

470. *Lecanora hypoptoides* (Nyl.) Nyl.

Flora 55: 249 (1872). – *Lecidea hypoptoides* Nyl., Flora 50: 374 (1867).

Sweden. Jämtland prov., Åre par., Handöl, N of Handöl Rapids in river Handölan, W of lake Ånnsjön, W shore of the river, by the path at the turn to the monument Karolinemonumentet. 63.25872°N 12.43442°E. Alt. c. 530 m. On old wooden tools.

28 June 1986

leg. & det. L.-E. Muhr (n. 9361)

LICHENES SELECTI EXSICCATI UPSALIENSES

471. *Lecanora ryanii* T.H.Nash & Lumbsch

in Lumbsch, Messuti & Nash, Bryologist 106: 558 (2003).

Mexico. Baja California Sur state, Isla Santa Margarita. Canyon inland the camp. 24°24'N 111°43'W. Alt. 50 m. On rocks.

19 February 1993

leg. R. Moberg (n. 10369)
det. H. T. Lumbsch 2002

LICHENES SELECTI EXSICCATI UPSALIENSES

472. *Lichenothelia convexa* Henssen

Biblioth. Lichenol. 25: 259 (1987).

Sweden. Dalarna prov. Säter, Skolgränd 8. 60°20'52"N 15°44'55"E. Alt. c. 160 m. Pantiles on a roof.

15 August 1982

leg. O. Eriksson
det A. Henssen (31105)

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

473. Lichenothelia intermedia Henssen

Biblioth. Lichenol. 25: 260 (1987).

Switzerland. Wallis, Rhonetral. Heidnischbiehl, Kalkhügel zwischen Raron und St. German. $46^{\circ}20'N$ $7^{\circ}48'E$. Alt. c. 700 m. Wiese am Südhang. 30° geneigte, sonnenexponierte Felsfläche.

12 June 1989

leg. A. Henssen & F. Rüegsegger (33062a)
det. A. Henssen

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

474. Lichina polycarpa Henssen

Lichenologist 5(5–6): 450 (1973).

Argentina. Río Negro prov., Parque Nacional Nahuel Huapi, Lago Nahuel Huapi, Peninsula San Pedro. $41^{\circ}00'S$ $71^{\circ}40'W$. Alt. c. 800 m. Nordostufer, auf Felswänden am Ufer.

5 January 1974

leg. & det. A. Henssen (24672a)

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

475. Lichina rosulans Henssen

Lichenologist 4: 95 (1969).

Argentina. Neuquén prov., Parque Nacional Lanin, Angostura, Westteil des Lago Lacar. $40^{\circ}09'S$ $71^{\circ}37'W$. Alt. c. 650 m. In Mulden und Sickerwasserstreifen der Uferfelsen.

25 December 1973

leg. A. Henssen & G. Vobis (24555a)
det. A. Henssen

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

476. Lichinella robusta Henssen

Symb. Bot. Upsal. 18(1): 73 (1963).

France. Dép. Gard, Masmoléne – La Capelle. $44^{\circ}03'N$ $4^{\circ}31'E$. Felskuppen aus sehr hartem Sandstein (Grés cénonmaniens et "tonsurey"), in Sickerwasserstreifen auf leicht geneigten Felsflächen.

6 July 1976

leg. & det. A Henssen (25304a)

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

477. Lobaria pulmonaria (L.) Hoffm.

Deutschlands Flora 2: 146 (1796). – *Lichen pulmonarius* L., Sp. Pl. 2: 1145 (1753).

Canada. New Brunswick prov., Charlotte Co., Saint James par., peninsula extending into Grand Falls Flowage, on the St. Croix River at the end of Rte. 725 NW of Upper Little Ridge. $45^{\circ}16'40''N$ $66^{\circ}28'45''W$. On *Acer rubrum*

30 April 2011

leg. & det. T. H. Nash III (n. 47316)

LICHENES SELECTI EXSICCATI UPSALIENSES

478. Micarea myriocarpa V.Wirth & Vězda

in Coppins, Bull. Br. Mus. nat. Hist. (Bot.) 11(2): 161 (1983)

Norway. Rogaland prov., Suldal par., Ropeidhalvöya, the E-facing slope W of lake Grytevatnet, Grytelva gorge. $59.4264^{\circ}N$ $6.0089^{\circ}E$. Alt. c. 60 m. Saxicolous on overhanging rock wall in river gorge.

3 September 2004

leg. & det. T. Tønsberg (n. 34525)

LICHENES SELECTI EXSICCATI UPSALIENSES

479. Mobergia calculiformis (W.A.Weber) H.Mayrhofer & Sheard

Bryologist 95: 441 (1995). – *Rinodina calculiformis* W.A.Weber, Bryologist 67: 473 (1964).

Mexico. Baja California state, Punta Santa Rosallita. $28^{\circ}39'20''\text{N}$ $114^{\circ}14'56''\text{W}$. Alt. c. 10 m. On pebbles in open habitat.

30 December 1997

leg. & det. T. H. Nash III (n. 40208)

LICHENES SELECTI EXSICCATI UPSALIENSES

480. Parmotrema cristiferum (Taylor) Hale

Phytologia 28: 335 (1974). – *Parmelia cristifera* Taylor, London J. Bot. 6: 165 (1847).

Mexico. Guanajuato state, 8 km SSE of San Miguel de Allende, Cerro El Picacho. $20^{\circ}50'05''\text{N}$ $100^{\circ}42'25''\text{W}$. Alt. c. 2600 m. Oak forest, on *Quercus*.

14 May 2007

leg. & det. T. H. Nash III (n. 44986)

LICHENES SELECTI EXSICCATI UPSALIENSES

481. Phaeophyscia hirsuta (Mereschk.) Essl.

Mycotaxon 7: 302 (1978). – *Physcia hirsuta* Mereschk., Annaire Conserv. Jard. Bot. Geneve 21: 181 (1919).

USA. Arizona. Mohave Co., Grand Canyon Parashant National Monument, north side of Mt. Trumbell, along Aqueduct Trail. $36^{\circ}25'36''\text{N}$ $113^{\circ}07'42''\text{W}$. Alt. 1876 m. On *Juniperus osteosperma*.

21 May 2003

leg. & det. T. H. Nash III (n. 43817)

LICHENES SELECTI EXSICCATI UPSALIENSES

482. *Phylliscum tenue* Henssen

Isotype

Svensk Bot. Tidskr. 57: 152 (1963).

USA. California. Humboldt Co., Fart nach Pine Ridge Summit, Coast Range “Zahlbrucknerella – Schlucht”. 40°59’N 123°46’W. Alt. c. 1000 m. Sickerwasserstreifen von anstehendem vulkanischen Gestein.

31 October 1961

leg. & det. A. Henssen (13627f)

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.
Holotype in S.

LICHENES SELECTI EXSICCATI UPSALIENSES

483. *Physcia pseudospeciosa* J.W.Thomson

Nova Hedwigia 7: 91 (1963).

USA. North Carolina. Jackson Co., Whitewater Falls, along the path down to the falls from the outloock. 35°01’N 83°01’W. Alt. 810 m. Eastsloping cliffs in deciduous forest. on fairly shady rocks.

19 May 1995

leg. & det. R. Moberg (n. 11628)

LICHENES SELECTI EXSICCATI UPSALIENSES

484. *Placopyrenium cinereoatratum* (Degel.) Orange

Lichenologist 41: 132 (2009). – *Verrucaria cinereoatra* Degel., Svensk Bot. Tidskr. 39: 18 (1945).

Sweden. Östergötland prov., Västra Tollstad par., W of the village of Hästholmen. 58° 16’N 14°38’E. Alt. c. 95 m. On the rocky shore of Lake Vättern.

28 April 1990

leg. R. Santesson (n. 32795)
det. J. Pykälä 2018

LICHENES SELECTI EXSICCATI UPSALIENSES

485. *Platismatia herrei* (Imshaug) W.L.Culb. & C.F.Culb.

Contr. U.S. Natnl. Herb. 34: 537 (1968). – *Cetraria herrei* Imshaug, Bryologist 57: 6 (1954).

USA. Oregon. Benton Co., Siuslaw National Forest, Marys Peak (WSW of Corvallis). 44°31'N 123°33'W. Alt. c. 1230 m. In old growth noble fir forest, on *Abies*.

8 June 2007

leg. & det. T. H. Nash III (n. 47495)

LICHENES SELECTI EXSICCATI UPSALIENSES

486. *Polycauliona tenax* (L.Lindblom) Fröden, Arup, & Søchting

Nord. J. Bot. 31: 53 (2013). – *Xanthoria tenax* L.Lindblom, J. Hattori Bot. Lab. 83: 158 (1997).

USA. California. Riverside Co., Menifee Hills. 33°38'N 117°11'W. Chaparral shrub area, on shrubs.

22 June 2004

leg. & det. J. C. Lendemer & K. Knudsen (s.n.)

LICHENES SELECTI EXSICCATI UPSALIENSES

487. *Polychidium polychidioides* (Zahlbr.) Henssen

Symb. Bot. Upsal. 18(1): 105 (1963). – *Lemmopsis polychidioides* Zahlbr. in Skottsberg, Nat. Hist. Juan Fernandez Easter Isl., 2 (Bot.) 3(11): 333 (1924).

Chile. Llanquihue prov., Parque Nacional Vicente Perez Rosales, Salto de Pedrohué. 41°09'S 72°06'W. Valdivianischer Regenwald auf morschen liegenden Stämmen.

24 November 1973

leg. A. Henssen & G. Vobis (n. 24297a)
det. A. Henssen

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

488. *Porocyphus kenmorensis* (Nyl.) Henssen

Lichenologist 4: 109 (1974). – *Synalissa kenmorensis* H.B.Holl ex Nyl., Flora, Jena 64: 6 (1881).

Scotland. Argyllshire, Loch Goil. 56°08'N 4°52'W.

1977

leg. P. James (s. n.)
det. A. Henssen

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

489. *Pseudevernia intensa* (Nyl.) Hale & W.L.Culb.

Bryologist 69: 165 (1966). – *Evernia intensa* Nyl., Bull. Soc. Linn. Normandie, ser. 2, 6: 269 (1873).

USA. Arizona. Graham Co., Coronado National Forest, Pinaleno Mountains adjacent Shannon Campground, 2 km NW of Heliograph Peak. 32°39'30"N 109°52'W. Alt c. 3030 m. On *Pinus strobiformis*.

14 June 2005

leg. & det. T. H. Nash III (n. 44527)

LICHENES SELECTI EXSICCATI UPSALIENSES

490. *Pseudocyphellaria neglecta* (Müll.Arg.) H.Magn.

Medd. Göteborgs Bot. Trädgård 14: 30 (1940). – *Sticta neglecta* Müll.Arg., Flora 70: 58 (1887).

Australia, New South Wales, Blue Mountains, Mount Wilson, *Eucalyptus-Alsophila*-forest near Dennarque. 33°30'S 150°22'E. On a big trunk of *Eucalyptus goniocalyx* leaning towards the north, dominant on the southern side.

14 November 1926

leg. G. Einar & Greta Du Rietz (n. 858)
det. A. H. Magnusson 1940 (very homogenous)

LICHENES SELECTI EXSICCATI UPSALIENSES

491. Puttea caesia (Fr.) M.Svensson & T.Sprib.

in Dillman et al., Herzogia 25: 182 (2012). – *Agyrium caesium* Fr. Syst. Mycol. 2: 231 (1822).

Sweden. Hälsingland prov., Bjuråker par., 4 km NNE of Brännås village, N of where the road ends. 62.08085°N 16.26542°E. Alt. 280 m. Coniferous forest stand, 7–14 years old. On *Pinus sylvestris* log, 18 m long and 16–38 cm in diameter.

25 September 2013

leg. & det. G. Thor (n. 30117a)

LICHENES SELECTI EXSICCATI UPSALIENSES

492. Ramalina bajacalifornica Bowler & Rundel

Bryologist 75: 365 (1972).

Mexico. Baja California Sur state, 1 km E of Punta Conejo. 24°06'N, 111°00'W. Alt. c. 20 m. Coastal scrub.

2 January 1991

leg. & det. T. H. Nash III (n. 29730)

LICHENES SELECTI EXSICCATI UPSALIENSES

493. Santessonella rosettiformis Henssen

Isotype

Lichenologist 32: 58 (2000). – *Parmeliella rosettiformis* (Henssen) P.M.Jørg., Biblthca Lichenol. 88: 245 (2004). – *Austroparmeliella rosettiformis* (Henssen) P.M.Jørg. in Ekman, Wedin, Lindblom & Jørgensen, Lichenologist 46: 650 (2014).

Chile. Malleco prov., Parque Nacional Contulmo. Temperate southern Chile forest between 200–300 m alt., on trunk of *Nothofagus obliqua*.

22 November 1973

leg. A. Henssen & G. Vobis (24281)

det. A. Henssen

Note. Current name *Austroparmeliella rosettiformis* (Henssen) P.M.Jørg.

A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

Holotype in hb Henssen now in H.

LICHENES SELECTI EXSICCATI UPSALIENSES

494. *Scytinum fragrans* (Sm.) Otálora, P.M.Jørg. & Wedin

Fungal diversity 64: 290 (2014). – *Lichen fragrans* Sm., in Sm. Sowerby, Engl. Bot.: 27 (1808).

Sweden. Västmanland prov., Norberg par., 2 km NW of the town Norberg, 200 m N of the house Klackbergsgården. 60.0755°N 15.89315°E. Alt. 146 m. Open deciduous forest. On fallen branch of large dead *Ulmus glabra*.

28 September 2014

leg. & det. G. Thor (n. 30901)

LICHENES SELECTI EXSICCATI UPSALIENSES

495. *Stereocaulon cumulatum* (Sommerf.) Timdal

Lichenologist 34: 7 (2002). – *Lecidea cumulata* Sommerf., Suppl. Flora Lapp: 157 (1826). – *Toninia cumulata* Sommerf.) Th.Fr., Lichenogr. Scand. 2: 341 (1874).

Sweden. Jämtland prov., Åre par., Mt. Renfjället, 10 km NW of Undersåker, upper part of SSE slope between the path and the skilift. 63,347160°N 13,05463°E. RN 7029415 1362327. Alt. 954 m. On the ground.

29 August 2012

leg. & det. A. Nordin (n. 7416)

LICHENES SELECTI EXSICCATI UPSALIENSES

496. *Synalissa mattogrossensis* (Malme) Henssen

Ber. Deutsch. Bot. Ges. 92: 486 ("1979" 1980). – *Peccania mattogrossensis* Malme, Arkiv. Bot. 29A(6): 19 (1937).

Argentina. Misiones prov., in Sickerwasserstreifen oder Mulden der Felsen am Ufer des Río Iguazú.

13 January 1974

leg. & det. A. Henssen (24726a)

Note. A. Henssen: Lichenes Cyanophili et Fungi Saxicolae Exsiccati ined.

LICHENES SELECTI EXSICCATI UPSALIENSES

497. Toninia sedifolia (Scop.) Timdal

Opera Bot. 110: 93 (1991). – *Lichen sedifolius* Scop., Fl. carneol. Ed. 2, 2: 395 (1772).

Sweden. Gotland prov., Kräklingbo par., c. 2 km ESE of Kräklingbo church, just S of the road between Kräklingbo and Östergarn along a smaller road towards Torsburgen. 57.438621°N 18.740197°E. On mosses over gravel in alvar area.

23 September 2014 leg. M. Westberg, A. Košuthová, M. Prieto (GTL49)
det, M. Westberg

LICHENES SELECTI EXSICCATI UPSALIENSES

498. Usnea hirta (L.) F.H.Wigg.

Prim. Fl. Holsat.: 91 (1780). – *Lichen hirtus* L., Sp. Pl. 2: 1155 (1753).

USA. Arizona. Apache Co., Apache National Forest, Mount Baldy Wilderness, near beginning of Trail No. 94 along the West Fork of the Little Colorado River at Sheep's Crossing. 33°58'N, 109°31'W. Alt. c. 2860 m. Montane forest, on *Picea engelmannii*.

7 June 1998 leg. & det. T. H. Nash III (n. 41934)

LICHENES SELECTI EXSICCATI UPSALIENSES

499. Xanthomendoza galericulata L.Lindblom

Bryologist 109: 2 (2006). – *Gallowayella galericulata* (L.Lindblom) S.Y.Kondr., et al., Biblioth. Lichenol. 108: 57 (2012).

USA. Washington. Adams Co., along and S of Interstate Route 90, between Moses Lake and Ritzville rest area, 10 km E of the Grant Co./Adams Co. border. 47.08545°N, 118.84689°W. Alt. 437 m (GPS). Corticolous on trunk of dying *Fraxinus* with flaking bark in a park in agricultural area and near a busy road.

13 October 2017 leg. T. Tønsberg (47608)
det. L. Lindblom 2017

Note. According to Arup et al. in Nord. J. Bot. 31:58 (2013), "*Gallowayella* S.Y.Kondr. et al. is a superfluous name as it included the type of *Oxneria*, *O. weberi*". The type of *Oxneria* is not *O. alfredii* (S.Kondr. & Poelt) S. Kondr. & Kärnefelt but *O. weberi* S.Kondr. & Kärnefelt (Lindblom, Bryologist 109: 5, 2006). Adest *Candelaria pacifica* M.Westb. & Arup, det. M.Westberg 2017.

LICHENES SELECTI EXSICCATI UPSALIENSES**500. Xanthoparmelia chlorochroa** (Tuck.) HalePhytologia 28: 486 (1974). – *Parmelia chlorochroa* Tuck., Proc. Amer. Acad. Arts Sci. 4: 383 (1860).USA Wyoming. Carbon Co., Custer National Forest, Sheridan campground.
45°06'04"N 109°18'07"W. On soil.

15 August 1977

leg. & det. T. H. Nash III (n. 44387)

Publication from the Herbarium, University of Uppsala

Nos 1–19. See back cover of Thunbergia 4

www.evolutionsmuseet.uu.se/publikation/publicationsherbariumeng.html

THUNBERGIA

www.evolutionsmuseet.uu.se/publikation/thunbergiaeng.html

1. L. Tibell – *Caliciales exsiccatae*, Fasc. 6 (Nos 126–150), 1986
2. R. Moberg – *Lichenes sel. exs. Upsal.*, Fasc. 1 (Nos 1–25), 1986
3. R. Santesson – *Fungi lichenic. exs.*, Fasc. 3–4 (Nos 51–100), 1986
4. O. Constantinescu & R. Moberg – *Computer assistance and some time-saving routines in UPSC culture collection*, 1987
5. R. Moberg – *Lichenes sel. exs. Upsal.*, Fasc. 2 (Nos 26–50), 1987
6. R. Santesson – *Fungi lichenic. exs.*, Fasc. 5–6 (Nos 101–150), 1988
7. R. Moberg – *Lichenes sel. exs. Upsal.*, Fasc. 3 (Nos 51–75), 1989
8. L. Tibell – *Caliciales exsiccatae*, Fasc. 7 (Nos 151–175), 1989
9. N. Lundqvist – *Fungi fimicoli exs.*, Fasc. 3 (Nos 51–75), 1989
10. L. Holm & J.A. Nannfeldt – *Fungi exsiccati Suecici*, Fasc. 67 (Nos 3301–3350), 1990
11. L. Holm & J.A. Nannfeldt – *Fungi exsiccati Suecici*, Fasc. 68 (Nos 3351–3400), 1990
12. D.O. Wijnands – *Correct author citation for the species described on material collected by Thunberg in Japan*, 1990
13. L. Tibell – *Caliciales exsiccatae*, Fasc. 8 (Nos 176–200), 1990
14. R. Moberg – *Lichenes sel. exs. Upsal.*, Fasc. 4 (Nos 76–100), 1991
15. O. Constantinescu – *An annotated list of Peronospora names*, 1991
16. L. Holm & J.A. Nannfeldt – *Fungi exsiccati Suecici*, Fasc. 69 (Nos 3401–3450), 1992
17. L. Holm & J.A. Nannfeldt – *Fungi exsiccati Suecici*, Fasc. 70 (Nos 3451–3500), 1992
18. L. Tibell – *Caliciales exsiccatae*, Fasc. 9 (Nos 201–225), 1993.
19. S. Lundqvist & R. Moberg – *The Pehr Kalm Herbarium in UPS, a collection of North American plants*, 1993
20. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 5 & 6 (Nos 101–150), 1994
21. R. Santesson – *Fungi lichenic. exs.*, Fasc. 7 & 8 (Nos 151–200), 1994
22. R. Santesson – *Fungi lichenic. exs.*, Fasc. 9 & 10 (Nos 201–250), 1994
23. L. Tibell – *Caliciales exsiccatae*, Fasc. 10 (Nos 226–250), 1996
24. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 7 & 8 (Nos 151–200), 1996
25. N. Lundqvist – *Fungi fimicoli exs.*, Fasc. 4 & 5 (Nos 76–125), 1997
26. L. Holm & S. Ryman – *Fungi exsiccati Suecici*, Fasc. 71 & 72 (Nos 3501–3600), 1997
27. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 9 & 10 (Nos 201–250), 1997
28. R. Santesson – *Fungi lichenic. exs.*, Fasc. 11 & 12 (Nos 251–300), 1998
29. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 11& 12 (Nos 251–300), 1999
30. L. Holm & S. Ryman – *Fungi exsiccati Suecici*, Fasc. 73 (Nos 3601–3650), 2000
31. R. Santesson – *Fungi lichenic. exs.*, Fasc. 13 & 14 (Nos 301–350), 2001
32. A. Nordin – *DuRietz's lichen collections 1956–1965 from riverbanks and shores of lakes in connection with planned water regulations*, 2002

33. L. Holm & S. Ryman – *Fungi exsiccati Suecici*, Fasc. 74 (Nos 3651–3700), 2003
34. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 13& 14 (Nos 301–350), 2003
35. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 15& 16 (Nos 351–400), 2005
36. R. Santesson – *Fungi lichenic. exs.*, Fasc. 15 & 16 (Nos 351–400), 2008
37. L. Holm & S. Ryman – *Fungi exsiccati Suecici*, Fasc. 75 (Nos 3701–3750), 2012
38. L. Holm & S. Ryman – *Fungi exsiccati Suecici*, Fasc. 76 (Nos 3751–3800), 2012
39. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 17& 18 (Nos 401–450), 2012
40. R. Moberg – *Lich. sel. exs. Upsal.*, Fasc. 19& 20 (Nos 451–500), 2018