


# THUNBERGIA

7



ROLAND MOBERG

## LICHENES SELECTI EXSICCATI UPSALIENSES

Fasc. 3 (Nos 51-75)

Published April 29, 1989

ISSN-0283-2275  
*Reprocentralen HSC, 1989*

---

DISTRIBUTED BY THE HERBARIUM, UNIVERSITY OF UPPSALA

THUNBERGIA is the continuation of "Publications from the Herbarium, University of Uppsala", of which 19 numbers numbers were issued between 1978 and 1986.

The name is given in memory of Carl Peter Thunberg (1743-1828), a disciple of Linnaeus and a famous traveller to South Africa and Japan. His collections, about twentyseven thousand sheets, were transferred to our University in 1785, and became the foundation of the botanical museum. Thunberg succeeded Linnaeus filius as professor in 1785 and held the professorship to his death.

#### LICHENES SELECTI EXSICCATI UPSALIENSES

##### 51. *Agonimia tristicula* (Nyl.) Zahlbr.

Österr. Bot. Zeitsch. 59: 351, 1909. - Verrucaria tristicula Nyl., Flora 48: 356, 1865.

SWEDEN. Södermanland Prov., Mörkö par., c. 2.3 km ENE of Mörkö church and c. 1 km NE the croft Egelsvik. 59°00'N 17°42'E. Alt. c. 25 m. On shaded, mossy, vertical rock-faces.

29.IX.1988

leg. & det. G. Thor (no 7796)

#### LICHENES SELECTI EXSICCATI UPSALIENSES

##### 52. *Bacidia carneoalbida* (Müll.Arg.) Coppins

Lichenologist 21: 99, 1989. - Patellaria carneo-albida Müll.Arg., Flora 51: 50, 1868.

SWEDEN. Värmland Prov., Norra Finnskoga par., c. 2 km NE of Mt Östra Bränberget. 60°58'N 12°44'E. Alt. c. 430 m. On Populus tremula in dense and moist Picea-forest.

1.VI.1984

leg. & det. L.-E. Muhr (no 7006)

#### LICHENES SELECTI EXSICCATI UPSALIENSES

##### 53. *Caloplaca lucifuga* Thor

Lichenologist 20: 175, 1988.

SWEDEN. Uppland Prov., Alsike par., 0.8 km NNW Krusenberg mansion, c. 150 m from Lake Mälaren. 59°44'N 17°35'E. Alt. c. 10 m. On a large Quercus robur growing in rather open situation on the northern side of a small hill.

24.IX.1987

leg. & det. G. Thor (no 7424)

Editor: Roland Moberg

Address: The Herbarium  
Uppsala University  
P.O. Box. 541  
S-751 21 Uppsala, Sweden

## LICHENES SELECTI EXSICCATI UPSALIENSES

54. *Cetraria hepatizon* (Ach.) Vain.

Medd. Soc. Fauna Fl. Fennica 14: 22, 1888. - Lichen hepatizon Ach., Lich. Svec. Prodr.: 110, 1798.

SWEDEN. Härjedalen Prov., Tännäs par., Mt Gruvvålen, near Lake Glimsjön (c. 2 km NE of Hotel Ramundberget). 62°42'N 12°25'E. Alt. c. 920 m. On exposed schists in the subalpine region.

12.VIII.1988 leg. & det. R. Santesson (no 32495)

## LICHENES SELECTI EXSICCATI UPSALIENSES

55. *Chrysotrichia chrysophthalma* (P. James) P. James & Laundon

Lichenologist 13: 104, 1981. - Micarea chrysophthalma P. James, Lichenologist 5: 131, 1971.

SWEDEN. Södermanland Prov., Utö par., NE part of the island Utö, at the shore opposite the small island Svartkobb, 1.9 km ESE of Utö kvarn. 58°57'N 19°21'E. On a decorticated Pinus sylvestris on an exposed hill.

14.V.1988 leg. & det. G. Thor (no 7508)

## LICHENES SELECTI EXSICCATI UPSALIENSES

56. *Cladonia hedbergii* Ahti

## Isotype

Lichenologist 9: 4, 1977.

KENYA. Central Prov., Nanyuki Distr., Mt Kenya, National Park Road (Naro Moru Track). 0°10'S 37°13'-14'E. Alt. c. 3300 m. On the ground in a wet slope in the Hagenia-Hypericum zone.

23.I.1970 leg. R. Santesson (no 32495)  
det. T. Ahti 1976

## LICHENES SELECTI EXSICCATI UPSALIENSES

57. *Eiglera flavidula* (Hepp) Hafellner

Nova Hedwigia, Beih. 79: 276, 1984. - Lecanora flavidula Hepp, Flechten Europas no 630, 1860.

SWEDEN. Härjedalen Prov., Tännäs par., SE of Mt Skarsen, 2.5 km NNW of Klinken. 62°44'N 12°17'E. Alt. c. 950 m. On calciferous schist in an alpine Dryas heath.

8.VIII.1988 leg. & det. R. Santesson (no 32468)

## LICHENES SELECTI EXSICCATI UPSALIENSES

58. *Haematomma ventosum* (L.) Massal. with pycnidia

Ricerche Lich. crostosi p. 33, 1852. - Lichen ventosus L., Spec. Plant. (2) p. 1141, 1753.

SWEDEN. Härjedalen Prov., Tännäs par., Mt Ramundberget, c. 0.3 km NE of Ösjöstugan (c. 3 km SW of Ramundbergets Fjällgård). 62°41'N 12°20'E. Alt. c. 900 m. On a big boulder in an alpine heath.

4.VIII.1984 leg. & det. R. Santesson (no 31113)

## LICHENES SELECTI EXSICCATI UPSALIENSES

59. *Lecidea sphacelata* Th. Fr.

Lichenographia Scandinavica p. 445, 1874.

SWEDEN. Värmland Prov., Norra Finnskoga par., c. 0.5 km SE of Havsvallviken, near the stream Havsvallen. 61°00'N 12°37'E. Alt. c. 320 m. On a boulder in open situation in a thin Pinus-forest.

20.VII.1983 leg. & det. L.-E. Muhr (no 6458)

**Note:** The statement by Th. Fries (1874: 446) and Magnusson (Svensk Bot. Tidskr. 46: 315, 1952) that Lecidea sphacelata is K negative is not correct. The species contains norstictic acid in the thallus (TLC) giving a K+ red reaction. L.-E. M.

### LICHENES SELECTI EXSICCATI UPSALIENSES

**60. Lecidea nigroleprosa** (Vain.) H. Magn.

Bot. Notiser 1927: 118, 1927. - Lecanora nigroleprosa Vain.,  
Medd. Soc. Fauna Fl. Fennica 9: 208, 1883.

SWEDEN. Härdedalen Prov., Tännäs par., Mt Gruvvålen, c. 0.3 km  
SSW of Lake Glimsjön (c. 1.5 km ENE of Ramundbergets  
Fjällgård). 62°42'N 12°25'E. Alt. c. 920 m. On exposed rocks in  
the uppermost part of the subalpine forest.

11.VIII.1987 leg. & det. R. Santesson (no 31956)

### LICHENES SELECTI EXSICCATI UPSALIENSES

**61. Leproloma diffusum** Laundon var. **chrysodetoides** Laundon

Lichenologist 21: 18, 1989. Isotype

SWEDEN. Värmland Prov., Burtjärn par., on the western slope of  
the hill between Trettondetjärnen and Svarrtjärnen. 59°29'N  
14°24'E. Alt. c. 920 m. Over mosses on perpendicular rock  
(greenstone) in a clearing, previously very likely in shaded  
situation.

8.XI.1977 leg. L.-E. Muhr (no 598)

**Note:** The specimens in UPS indicated by Laundon (1989: 19)  
are from Sweden, the provinces of Västergötland and Bohuslän,  
and there is another Swedish collection (L.-E. Muhr) from the  
province of Närke.

### LICHENES SELECTI EXSICCATI UPSALIENSES

**62. Lithographa tesserata** (DC.) Nyl.

Actes Soc. Linn. Bordeaux 21: 441 (195 in reprint), 1857. -  
Opegrapha tesserata De Candolle, Flore Fr. ed. 3, 2: 313, 1805.

SWEDEN. Värmland Prov., Norra Finnskoga par., in the ravine of  
River Tåsan, by Vässelfallet. 60°47'N 12°45'E. Alt. c. 215 m.  
On rocks in open situation by the river.

8.VIII.1988 leg. & det. L.-E. Muhr (no 11284)

### LICHENES SELECTI EXSICCATI UPSALIENSES

**63. Micarea vulpinaris** (Nyl.) Muhr

Svensk Bot. Tidskr. 81: 25, 1987. - Lecidea vulpinaris Nyl.,  
Flora 52: 410, 1869.  
Syn.: Micarea muhrii Coppins, Bull. Br. Mus. Nat. Hist. (Bot.)  
11(2): 160, 1983.

SWEDEN. Hälsingland Prov., Skog par., River Vrångån, 4.5 km SE  
of Holmsveden. 61°05'N 16°39'E. Alt. c. 125 m. On decorticated  
log by the stream.

16.VII.1987 leg. & det. A. Nordin (no 2185)

### LICHENES SELECTI EXSICCATI UPSALIENSES

**64. Miriquidice intrudens** (H. Magn.) Hertel & Rambold

Mitt. Bot. Staatssamml. München 23: 386, 1987. - Lecanora  
intrudens H. Magn., Bot. Notiser 1942: 8, 1942.

SWEDEN. Värmland Prov., Norra Finnskoga par., c. 7 km W of  
Höljes, 'Hotelllet'. 60°53'N 12°29'E. Alt. c. 320 m. On boulders  
in open situation.

12.VI.1988 leg & det. L.-E. Muhr (no 11038)

**Note:** The species is similar to Lecidea leproloma but has  
dark soredia instead of thallosepores and contains miriquidic  
acid instead of stictic acid. Parasitic on Aspicilia,  
Diploschistes, Porpidia, Protoparmelia, Rhizocarpon etc.

### LICHENES SELECTI EXSICCATI UPSALIENSES

**65. Muhria urceolata** P.M. Jörg.

Notes R. Bot. Gard. Edinb. 44: 583.

SWEDEN. Värmland Prov., Karlskoga par., c 3 km N of Silver-  
hyttan, near Lake Limtjärnen. 59°31'N 14°31'E. Alt. c. 165 m.  
On rocks in open situation by the water.

10.IX.1988 leg. & det. L.-E. Muhr (no 11500)

## LICHENES SELECTI EXSICCATI UPSALIENSES

66. *Pertusaria truncata* Krempehl.

Verh. Zool.-Bot. Ges. Wien 26: 452, 1876.

NEW ZEALAND. South Island, Southland, Fiordland National Park, 20 km W of Clifden, at the campsite at the national park boundary. 46°00'S 167°27'E. Alt. c. 130 m. On branches of a fallen Nothofagus menziesii in open pasture with forest remnants.

18.I.1981

leg. &amp; det. L. Tibell (no 10541)

## LICHENES SELECTI EXSICCATI UPSALIENSES

69. *Porina semicarpii* Vain.

Ann. Acad. Sci. Fenn., ser. A, 15: 367, 1920.

NEW ZEALAND. South Island, Canterbury, Peel State Forest, 9 km N of Arundel along Big Tree Walk. 43°54'S 171°15'E. Alt. c. 300 m. On leaves of Metrosideros diffusa.

14.XI.1980

leg. L. Tibell (no 9580)  
det. R. Santesson

## LICHENES SELECTI EXSICCATI UPSALIENSES

67. *Phaeophyscia chloantha* (Ach.) Moberg

Bot. Notiser 131: 259, 1978. - *Parmelia chloantha* Ach., Syn. Meth. Lich.: 217, 1814.

Syn.: Physcia luganensis Mereschk., Ann. Conserv. Jard. Bot. Geneve 21: 190, 1919.

FRANCE. Savoie Prov., Haute-Savoie Dept., N of Sciez, Château Coudré. 46°18'N 6°25'E. On leaves and twigs of Buxus sempervirens in a dense Buxus forest.

9.VI.1946

leg. Rolf Santesson  
det. R. Moberg 1988

## LICHENES SELECTI EXSICCATI UPSALIENSES

68. *Phlyctis argena* (Sprengel) Flotow c. ap

Bot. Zeitung 8: 572, 1850. - *Parmelia argena* Sprengel, Syst. Veget. 4(1): 300, 1827.

SWEDEN. Gästrikland Prov., Hille par., c. 1 km NE of Brännsågen at the River Testeboån. 60°45'N 17°03'E. Alt. c. 55 m. On the trunk of a fallen Fraxinus excelsior.

15.IX.1987

leg. &amp; det. A Nordin (no 2243)

## LICHENES SELECTI EXSICCATI UPSALIENSES

70. *Rhizocarpon amphibium* (Fr.) Th. Fr.

Lich. Scand. p. 630, 1874. - Lecidea amphibia Fr., K. Svenska Vetensk.-Akad. Handl. 1822: 262, 1822.

SWEDEN. Värmland Prov., Norra Finnskoga par., in the ravine of River Tåsan, W of Digerfallet. 60°47'N 12°45'E. Alt. c. 210 m. On boulders in the river.

8.VIII.1988

leg. &amp; det. L.-E. Muhr (no 11283)

## LICHENES SELECTI EXSICCATI UPSALIENSES

71. *Rinodina efflorescens* Malme

Svensk Bot. Tidskr. 21: 251, 1927.

SWEDEN. Jämtland Prov., Hallen par., at the path between Mård-sundsbadarna and Järvdalsbadarna (c. 17 km SSE Mörsil). 63°09'N 13°43'E. Alt. c. 600 m. On old Salix caprea in a forest dominated by Picea abies.

14.IV.1988

leg. G. Thor (no 7484)  
det. T. Tönsberg

## LICHENES SELECTI EXSICCATI UPSALIENSES

72. *Sagenidium molle* Stirton

Proc. Philos. soc. Glasgow 10: 305, 1877.

NEW ZEALAND. South Island, Otago, 15 km WNW of Owaka, Catlins Forest, along Catlins River, S of the junction with Chloris Stream.  $46^{\circ}25'S$   $169^{\circ}27'E$ . Alt. c. 150 m. On trunk of Nothofagus menziesii in N. menziesii-forest.

11.I.1981

leg. & det. L. Tibell (no 10275)

## LICHENES SELECTI EXSICCATI UPSALIENSES

73. *Stereocaulon grande* (H. Magn.) H. Magn.

H. Magn. in Degelius (Nilsson), Arkiv Bot. 24A: 71, 1931. -  
Stereocaulon paschale var. grande H. Magn., K. Vet.-  
Vitterh.-Samh. Handl. 4, 30: 49, 1926.

SWEDEN. Västerbotten Prov., Holmsund par., Risön Island.  
 $63^{\circ}41'N$   $20^{\circ}14'E$ . On flat, granite rocks in an open pine forest.

20.VII.1988

leg. & det. G. Carlin (no 88-19)

## LICHENES SELECTI EXSICCATI UPSALIENSES

74. *Stereocaulon vesuvianum* Pers.

Ann. Wetterauischen Gesells. 2: 19, 1810.

SWEDEN. Härdedalen Prov., Tännäs par., Mt Gruvvålen, 0.2 km NNE of Lake Glimsjön (c. 2.2 km NE of Hotel Ramundberget).  $62^{\circ}43'N$   $12^{\circ}25'E$ . Alt. c. 920 m. On an exposed hill in an old mining area.

11.IX.1988

leg. & det. R. Santesson (no 32551)

## LICHENES SELECTI EXSICCATI UPSALIENSES

75. *Xanthoparmelia kiboensis* (Dodge) Krog & Swinscow  
Isoneotype

Lichenologist 19: 428, 1987. - Hypogymnia kiboensis Dodge, Ann. Missouri Bot. Garden 46: 50, 1959.  
Syn.: Xanthoparmelia cylindriloba Knox in Knox & Brusse, J. S. Afr. Bot. 49: 147, 1983.

TANZANIA. Kilimanjaro, above Peter's Hut.  $3^{\circ}05'S$   $37^{\circ}22'E$ . Alt. c. 3970 m. In the upper part of the Philippia region, on "frost-lifted ground".

23.VI.1948

leg. O. Hedberg (no 1354)